

Town of Brunswick, Maine

DEPARTMENT OF PLANNING AND DEVELOPMENT

DRAFT FINDINGS OF FACT REQUEST FOR CERTIFICATE OF APPROPRIATENESS FOR ADDITIONS AND ALTERATIONS VILLAGE REVIEW BOARD

PROJECT NAME: 53 Pleasant Street/Pleasant Street Dental Addition

CASE NUMBER: VRB 24-027

LOCATION: Map U16, Lot 51; 53 Pleasant Street

REPRESENTATIVE: Tracie Reed
Dextrous Creative
77 Newbury Street #1
Portland, ME 04101

**OWNER/
APPLICANT:** Xoa Moshier
53 Pleasant Street
Brunswick, ME 04011

REVIEW DATE: January 23, 2025

PROJECT SUMMARY

The building at 53 Pleasant Street is a 1.5 story non-contributing structure that, according to the tax card and building records, was constructed in approximately 1990. The applicant is requesting a Certificate of Appropriateness for Alterations to construct a small addition to the rear of the building for stairs and a chair lift to a newly expanded second story. The building will go from 1.5 to 2 full stories, adding 946 sq ft of floor area to the second floor. The expansion will make room to house four new operators for the business.

REVIEW STANDARDS, SECTION 5.2.8.C, TOWN OF BRUNSWICK ZONING ORDINANCE

(1) General Standard

- a. **All Certificates of Appropriateness for new construction, additions, alterations, relocations or demolition shall be in accordance with applicable requirements of this Ordinance.**

The proposed modifications to the property require a Conditional Use Permit for Office expansion and Minor Development Review for the site plan which will be reviewed by the Planning Board on January 28, 2025. Building/electrical/plumbing permits through the Code Enforcement Office will also be necessary.

- b. **In meeting the standards of this Ordinance, the applicant may obtain additional guidance from the *U.S. Secretary of Interior's Standards for Rehabilitating Historic Buildings* and the *Village Review Zone Design Guidelines*.**

The Village Review Design Guidelines state that additions and new construction shall be visually compatible with the mass, scale and materials of nearby contributing resources and remain visually compatible with the existing streetscape. The additions do not affect the setback of the structure from the street. The second-story addition to the rear will give the building added height which will make it more compatible in scale with the nearby two-story residential structures. The materials used: clapboard siding, 6 over 6 simulated divided light windows, composite shutters, and asphalt shingle roof are all similar in appearance to the materials used on neighboring Pleasant Street properties.

(2) New Construction and Additions and Alterations to Existing Structures

- a. In approving applications for a Certificate of Appropriateness for new construction, additions or alterations to contributing resources, the reviewing entity shall make findings that the following standards have been satisfied:**

- i. Any additions or alterations shall be designed in a manner to minimize the overall effect on the historic integrity of the contributing resource.**

The structure is listed as non-contributing and therefore this standard is not applicable.

- ii. Alterations shall remain visually compatible with the existing streetscape.**

The structure is listed as non-contributing and therefore this standard is not applicable.

- iii. Concealing of distinctive historic or architectural character-defining features is prohibited. If needed, the applicant may replace any significant features with in-kind replacement and/or accurate reproductions.**

The structure is listed as non-contributing and therefore this standard is not applicable.

- iv. New construction or additions shall be visually compatible with existing mass, scale and materials of the surrounding contributing resources.**

The structure is listed as non-contributing and therefore this standard is not applicable.

- v. When constructing additions, the applicant shall maintain the structural integrity of existing structures.**

The structure is listed as non-contributing and therefore this standard is not applicable.

- b. In approving applications for a Certificate of Appropriateness for new construction of, or additions to commercial, multi-family and other non-residential structures, the Village Review Board shall make findings that the following additional standards have been satisfied.**

- i. **Where practicable, new off-street parking shall be located to the rear of the principal building and shall be accessed from a secondary street. In cases where off-street parking currently exists in a front or side yard, the parking area shall be screened from the public right-of-way with landscaping or fencing.**

The project includes reconfiguring of the parking lot that will leave a strip of green space along the frontage for landscaping to aid in buffering the existing lot.

- ii. **Site plans shall identify pedestrian ways and connections from parking areas to public rights-of-way.**

The site plan identifies the existing sidewalk and crosswalk in front of the property.

- iii. **All dumpsters and mechanical equipment shall be located no less than 25 feet away from a public right-of-way, unless required by a public utility, and shall be screened from public view.**

A dumpster will be placed at the rear of the property behind the addition, both within an enclosure and not visible from Pleasant Street.

- iv. **Roof-top mounted heating, ventilation, air conditioning and energy producing equipment shall be screened from the view of any public right-of-way or incorporated into the structural design to the extent that either method does not impede functionality. Parapets, projecting cornices, awnings or decorative roof hangs are encouraged. Flat roofs without cornices are prohibited.**

Not applicable.

- v. **The use of cinder block, concrete and concrete block is prohibited on any portion of a structure that is visible from the building's exterior, with the exception of use in the building's foundation.**

Not applicable.

- vi. **The use of vinyl, aluminum or other non-wood siding is permitted as illustrated in the Village Review Board Design Guidelines. Asphalt and asbestos siding are prohibited.**

The project will utilize Hardie (fiber cement) plank lap siding to match the existing siding. This material is listed as an acceptable substitute for wood clapboard in the design guidelines.

- vii. **Buildings with advertising icon images built into their design ("trademark buildings") are prohibited.**

Not applicable.

- viii. **No building on Maine Street shall have a horizontal expanse of more than 40**

feet without a pedestrian entry.

Not applicable.

ix. No building on Maine Street shall have more than 15 feet horizontally of windowless wall.

Not applicable.

x. All new buildings and additions on Maine Street shall be built to the front property line. This may be waived if at least 60 percent of the building's front facade is on the property line, and the area in front of the setback is developed as a pedestrian space.

Not applicable.

xi. If adding more than 50 percent new floor area to a structure located on Maine Street, the addition shall be at least two (2) stories high and/or not less than 20 feet tall at the front property line.

Not applicable.

xii. The first-floor facade of any portion of a building that is visible from Maine Street shall include a minimum of 50 percent glass. Upper floors shall have a higher percentage of solid wall, between 15 percent and 40 percent glass.

Not applicable.

c. Proposed additions or alterations to noncontributing resources shall be designed to enhance or improve the structure's compatibility with nearby contributing resources as compared to the existing noncontributing resources.

The immediately abutting property and the property across the street are also non-contributing structures. The second-story addition to the rear will give the building added height which will make it more compatible in scale with the nearby contributing two-story residential structures. The materials used: clapboard siding, 6 over 6 simulated divided light windows, shutters, asphalt shingle roof, are all similar in appearance to the materials used on neighboring contributing Pleasant Street properties.

(3) Signs

Signs shall comply with the requirements of Section 4.13 (Signs) with consideration given to the Village Review Zone Design Guidelines.

No new signage is proposed as part of this project.

(4) Demolition and Relocation

a. Demolition or partial demolition or relocation of a contributing or, if visible from a public right-of-way, a noncontributing resource, excluding incidental or noncontributing accessory buildings and structures located on the same property,

shall be prohibited unless the application satisfies at least one of the following criteria.

- i. The structure poses an imminent threat to public health or safety. An application must be accompanied by a report from a qualified structural engineer for review by the Codes Enforcement Officer and photographs depicting the current condition of the building.**

There is no demolition proposed and therefore this standard is not applicable.

- ii. The condition of the structure is such that it cannot be adapted for any other permitted use, whether by the current owner or by a purchaser, resulting in a reasonable economic return, regardless of whether that return represents the most profitable return possible, provided that the applicant can document he/she has not contributed significantly to the deterioration of the structure. An opinion shall be provided from an architect, licensed engineer, developer, real estate consultant or appraiser or from a professional experienced in historic rehabilitation, as to the economic feasibility for restoration, renovation, or rehabilitation of the contributing resource versus demolition or relocation of same.**

Not applicable.

- b. Demo, partial demolition or relocation of a noncontributing resource visible from a public right-of-way, shall be approved by the Village Review Board if it is determined that the proposed replacement structure or reuse of the property is deemed more appropriate and compatible with the surrounding contributing resources than the resource proposed for demolition.**

Not applicable.

DRAFT MOTIONS
MAP U16, LOT 51 (53 PLEASANT STREET)
REQUEST FOR A CERTIFICATE OF APPROPRIATENESS FOR ALTERATIONS
VILLAGE REVIEW BOARD
REVIEW DATE: JANUARY 23, 2025

Motion 1: That the Certificate of Appropriateness application is deemed complete.

Motion 2: That the Board approves the **Certificate of Appropriateness for Alterations** to renovate and alter the Pleasant Street Dental building at Map U16, Lot 51; 53 Pleasant Street, as outlined in the application and as satisfied by Subsection 5.2.8.C with the following condition(s):

1. That the Board's review and approval does hereby refer to these findings of fact, the plans and materials submitted by the applicant and the written and oral comments of the applicant, his representatives, reviewing officials, and members of the public as reflected in the public record. Any changes to the approved plan not called for in these conditions of approval or otherwise approved by the Director of Planning and Development as a minor modification, shall require further review and approval in accordance with the Brunswick Zoning Ordinance.

Received: 12/16/24
By: JS

VRB Case #: 24-027

**VILLAGE REVIEW BOARD
CERTIFICATE OF APPROPRIATENESS
APPLICATION**

1. Project Applicant:

Name: Xoa Mosier LLC
Address: 53 Pleasant Street
Brunswick, ME 04011
Phone Number: (207) 725-2062
Email Address: psd@pleasantstreetdental.net

2. Project Property Owner:

Name: See above
Address: _____

Phone Number: _____
Email Address: _____

3. Authorized Representative: (If different than applicant)

Name: Tracie J. Reed, Maine Licensed Architect
Address: 77 Newbury Street #1
Portland, ME 04101
Phone Number: (207) 409-0459
Email Address: traciereed@dextrouscreative.com

4. Physical Location of Property Being Affected:

Address: 53 Pleasant Street

5. Tax Assessor's Map # U16 **Lot #** 051 **of subject property.**

6. Underlying Zoning District GR6

7. Type of Activity (check all that apply):

- Additions and New Construction
- Structural Alteration
- Demolition/Moving of Structure
- Sign Permit

8. Describe the location and nature of the proposed change(s), including a brief description of the proposed construction, reconstruction, alteration, demolition, proposed re-use, or other change (use separate sheet if necessary): Expansion of clinic to support additional clinical operatories. See attached project narrative and drawings.

Applicant's
Signature Tracie Reed

VILLAGE REVIEW BOARD
APPLICATION FOR CERTIFICATE OF COMPLIANCE
APPLICATION CHECK-LIST

This checklist will be completed by the Department of Planning and Development. The Department requires that all application materials be submitted in BOTH hard copy and digital format. In addition, for Major Review applications, EIGHT (8) HARD COPIES are required after your application is considered complete by Department staff. Your project will not be placed on the Village Review Board's agenda until this determination is made. For assistance, please contact the Department of Planning and Development at (207)725-6660.

Completed application form

A copy of the building survey prepared by the Pejepscot Historical Society pertaining to the structure under review (*provided by Department Staff*).

A drawing showing the design, texture, and location of any construction, alteration, demolition for which a certificate is required. The drawing shall include plans and exterior elevations drawn to scale, with sufficient detail to show their relations to exterior appearances and the architectural design of the building. Drawings need not be prepared by an architect or engineer, but shall be clear, complete, and specific.

A site plan or photographs showing the relationship of the changes to the surroundings.

If architectural features are to be removed or replaced (including but not limited to original windows, siding, roofing material and other design elements), provide photographic documentation or a written assessment from a preservation professional or contractor explaining the condition of the material and reason for removal/replacement.

Photographs of the building(s) involved, its context, and detailed photos of immediate area.

List all proposed materials and products, and clearly identify their location on the drawings. Indicate texture of material, if applicable.

Provide manufacturer's product information and, if possible, bring material samples to the meeting.

Provide information such as dimensions, photographs or source for salvaged or reused materials.

For demolition applications, provide detailed information addressing standards contained in Subsections 5.2.8.C (4) of the Brunswick Zoning Ordinance.

This application was certified as being complete on 1/27/2025 (date) by
JULIE ERICKSON of the Department of Planning and Development.

THIS APPLICATION WAS:

Granted

Granted With Conditions

Denied

Forwarded to Village Review Board

Building Permit Required

Building Permit NOT Required

Applicable Comments: _____


Signature of Department Staff Reviewing Application

COMPLIANCE WITH ZONING STANDARDS

Notice: *This form is to be completed by the Codes Enforcement Officer and filed with the application.*

This is to certify that the application for Certificate of Appropriateness submitted by
Xao Mosier LLC, relating to property designated on Assessors Tax Map # U16 and
Lot # 51 has been reviewed by the Codes Enforcement Officer and has been found to be in
compliance with all applicable zoning standards:

Comments: _____

Signed: 

Date: 1-8-25



December 16, 2024

Julie Erdman
Director of Planning and Development
Brunswick Town Hall
85 Union Street
Brunswick, ME 04011

Director Erdman,

Attached please find Conditional Use, Minor Development Review and Village Review Overlay Zone Applications for an expansion of the existing Pleasant Street Dental at 53 Pleasant Street in Brunswick (U16/051) prepared on behalf of our client, Xoa Mosier LLC. The existing six operatory practice is located within the GR6 zone in a mixed-use area and has a long waiting list for new patients. In order to best serve its community, the clinic is proposing the addition of four operatories for a total of ten via a phased expansion that will allow the practice to serve patients during construction.

The parcel is bounded by Pleasant Street to the North. There is a signaled cross walk immediately West of the curb cut which protects pedestrians from vehicular traffic exiting via a right-turn from the site onto the one-way street. The western side of the parcel abuts an unused rail line, Maine Central Railroad, controlled by the State of Maine Department of Transportation. At the center of the site there is a right-of-way easement benefitting the owner whose property wraps around 53 Pleasant.

The addition will expand the footprint of the clinic by approximately 300 SF to accommodate a wheelchair lift and stair. The operatories will be added in existing administrative areas on the first floor. These administrative areas will be moved to an expanded second floor. The current area of this expansion is asphalt. The project will result in no new impervious surface or changes to site vegetation. The addition and upper story will honor the current side and front setbacks for the GR6 zone. The addition also respects an existing right-of-way easement at the building's center.

The fenestration pattern and clapboard siding and paint colors will be matched in the addition. Mechanical condensers will be located in the rear of the parcel, screened from view by the proposed addition. The primary entrance for patients will remain unchanged. A new staff entrance at the rear of the building will provide interior lift serving the first and expanded second floor.

The additional four operatories will support hiring of a second dentist and hygiene staff to better serve patients. Traffic impacts are anticipated to include eight additional trips per hour (four patient appointments) exiting onto Pleasant Street, a one-way road. The clinic is open from 8:00 a.m. to 4:00 p.m. Monday through Thursday. Operations at the clinic will not create noise, dust, vibrations, glare of airborne contaminants impacting another structure. The completed project will have 23 parking spaces including an ADA space with loading aisle and bike storage rack.

Our project's MEP engineers have conducted an existing condition assessment of the building. The use will not require sprinklers. The engineers have deemed the building's existing gas and sewer lines sufficient to accommodate the

Dextrous Creative
Portland, ME

addition. The building's existing ¾" cold water supply has been deemed sufficient to support the negligible increase in supply required. Operators are serviced via bottled distilled water. We are in the process of confirming with Central Maine Power that the increase in load will not overtax the adjacent pole-mounted transformer. It is anticipated that the service feed to the building is sufficient.


We look forward to presenting this project to the Staff Review Committee and broader community in our Planning Board meeting shortly. Please let us know if you and your colleagues have any questions.



Sincerely,

A handwritten signature in black ink, appearing to read "Tracie J. Reed".

Tracie J. Reed, Dextrous Creative (she/her)

Licensed to Practice Architecture in Maine, NCARB, AIA, LEED AP





LOCUS MAP

PERSPECTIVES

OUTLINE SPECIFICATION**DIVISION 01: GENERAL REQUIREMENTS****01 25 00 SUBSTITUTION PROCEDURES**

Submit product or fabrication method to be replaced to Architect/Owner. Provide statement specifying why product or fabrication cannot be provided, as applicable. Provide Comparison of qualities of proposed substitution w/those of work specified.

01 33 00 SUBMITTALS

Submit cutsheets w/ color/finish and accessory selections to Architect for review and approval. Architect will review, approve, or request clarification in <5 days.

01 64 00 OWNER-FURNISHED PRODUCTS

Contractor to notify owner of date owner-furnished products/equipment must be provided for install to allow owner adequate time to purchase equipment. Owner to arrange for secured-off site storage as needed of equipment as required.

01 74 00 CLEANING & WASTE MANAGEMENT

Contractor shall keep premises free from accumulation of waste materials/rubbish during construction (including subcontractor's operations). Maintain construction and site in orderly manner. Store & dispose of hazardous or toxic products/waste in accordance w/local requirements and federal regulations. Provide progress cleaning of site daily placing waste materials in separate containers for recycling as applicable. Maintain construction area in broom-clean condition. Remove soil accumulations and mud resulting from construction activities from adjacent sidewalks/surfaces.

Final Cleaning:

Inspect interior & exterior surfaces including concealed spaces, in preparation for substantial completion & occupancy. Remove dirt, dust, litter, corrosion, solvents, discursive paint, stains, and extraneous markings. Wash & polish glass, metal, ceramic & polished surfaces. Remove tools and equipment used in construction, but not property of job site. Remove detachable labels and tags. Repair damaged materials to specified finish, or remove and replace them. Upon completion of construction, leave work site in clean, neat condition satisfactory to Owner or Architect.

01 79 00 DEMONSTRATION & TRAINING

Contractor to schedule demonstration/training of building systems and controls with users at mutually agreed upon time.

DIVISION 02: EXISTING CONDITIONS**02 41 00 BUILDING DEMOLITION**

Demolish and remove any systems, materials, and structures as indicated on the drawings. Provide shoring/bracing as necessary to prevent collapse of existing structures and adjacent facilities or work to remain. Locate, identify, stub-off, and disconnect utility services indicated not to remain. Patch and repair flashing, paint, insulation, fire stopping and finishes to match adjacent in areas of disturbance. Material resulting from demolition and not identified for salvaging shall become property of the Contractor and shall be legally transported & disposed of off-site. Disposal shall be performed as promptly as possible, not left until final clean up.

DIVISION 03: CONCRETE

See structural drawings.

DIVISION 05: METALS**05 10 00 STRUCTURAL STEEL**

See structural drawings.

05 40 00 COLD-FORMED METAL FRAMING

Furnish & install cold-formed steel framing, channel and furring strips as indicated on drawings. Studs shall be 16 gauge or heavier except when noted on drawings manufactured from steel sheet meeting requirements of ASTM A 1003, Structural Grade, Type H w/a minimum yield strength of 50,000 psi. Studs shall have pre-punched holes. Tracks Shall be 18 gauge or heavier, unpunched tracks manufactured of commercial quality sheet metal meeting ASTM A 1003 w/a minimum yield strength of 50,000 psi. Both tracks and studs shall be hot dip galvanized in accordance with the following: Grade ST50H, Coating: G90. Zinc Rich Paint should be utilized for tough-up repair of galvanized coatings damaged during handling/erection.

DIVISION 06: WOOD, PLASTICS, & COMPOSITES**06 10 00 ROUGH CARPENTRY**

Includes wood lurring, sheathing, and blocking for built in casework and nailers for the top of all roof-framing members. Lumber should be SPF, construction grade.

06 20 00 FINISH CARPENTRY & MILLWORK

Provide all finish carpentry as indicated on the drawings including solid surface countertops w/undermounted stainless steel sinks per elevations and finish schedule(s). Provided solid surfacing in sizes, profiles, and configurations noted on drawings. Color(s) will be standard color(s) selected by Architect. Thickness indicated on drawings.

06 40 00 ARCHITECTURAL CASEWORK

Provide architectural woodwork as shown on drawings including plastic laminate casework. Quality standard: Provide AWI Premium Grade materials and workmanship. Laminate color(s) to be selected by Architect. Provide casework matching elevations & details indicated. Shelves, min. 3/4" MDF w/laminate on both sides, top & bottom. Shelves shall be adjustable as detailed & shall meet AWI standards for deflection. Style: Overlay construction w/flush doors & drawer fronts unless otherwise noted. Provide cabinets w/siding/swinging doors, and interior cabinet surfaces to be melamine. Doors should be 3/4" MDF w/but faces plastic laminate adhered to core. Plastic laminate on edges. Provide door silencers, pulls as detailed, and soft-close 75 # Accuride C3800 slides or equal by Blum or Hafele. Provide shims, blocking, hanging strips, hooks, etc. for all accessories noted on drawings.

DIVISION 07: THERMAL AND MOISTURE PROTECTION**07 21 00 BUILDING INSULATION**

Provide stonewool insulation for soundproofing/fireblocking as noted on drawings by Roxul, Inc.

07 10 00 DAMPPROOFING & WATERPROOFING

Patch, repair and flash new penetrations in exterior envelope.

07 65 00 FLEXIBLE FLASHING & 077200 ROOF ACCESSORIES

Flash all new penetrations in membrane roof w/compatible systems. Utilize pre-fabricated boots, insulated curbs w/cant strips, etc. as required.

07 92 00 JOINT SEALANTS

Use silicone or polyurethane sealants in color to match adjacent surfaces.

07 80 00 FIRE & SMOKE PROTECTION

Maintain rating of existing walls as indicated on drawing via firestop systems consisting of a material or combination of materials installed to retain the integrity of fire-rated construction by maintaining an effective barrier against the spread of flame, smoke, or gases through penetrations in fire-rated barriers. Firestopping materials/systems shall be installed conforming to UL designs. Firestopping materials classified as "Fill, Void or Cavity Material" for use in through-penetration firestops. Provide materials/construction identical to fire-rated assemblies tested in compliance with ASTM E 119, ASTM E814, UL 263 or NFPA 251 by independent agencies acceptable to Architect and governing bodies. No substitutions permitted. Burning Characteristics: products w/a maximum ASTM E 84 surface burning characteristics flame spread 25 and smoke developed index of 25. Fire stopping systems shall be tested in accordance w/ASTM E 814 or UL 1479 under min. positive pressure of 0.01" of water.

DIVISION 8: OPENINGS**08 11 00 METAL DOORS AND FRAMES**

Provide Commercial-grade Level 1 metal doors & hollow-core knock-down frames, as noted on door schedule. Throat thickness of frame varies by wall type.

08 14 00 WOOD DOORS

Provide factory-finished (transparent) solid core slab birch veneer doors and tempered lites as shown on door schedules.

08 31 13 ACCESS DOORS & FRAMES

Furnish access doors & panels for installation as req. by drawings, including MEP. Factory-applied finish. Were installed in fire-rated walls panels shall be of resistance bearing a UL 2-hr label. Where installed in surfaces w/ceiling the panels shall be stainless steel w/No. 4 finish. Where install in drywall access frames shall be flush edge-frame type, designed for drywall insert. Panels shall have concealed hinges.

08 70 00 HARDWARE

Commercial Grade 2 latch sets, hinges, stops, plates, pulls etc. in brushed satin stainless finish. Hardware as shown on sheet A-6.1. Keying per client.

08 80 00 GLAZING

Provide glazing on plan as shown.

DIVISION 9: FINISHES**09 06 00 SCHEDULE OF FINISHES**

See finish schedules. Provide 5% attic stock of all interior finishes for future client use.

09 22 16 NON-STRUCTURAL METAL FRAMING

Provide metal stud wall and ceiling framing.

09 29 00 GYPSUM BOARD

Use 5/8" regular gypsum board on designated interior walls and on all ceilings. 5/8" water resistant gypsum board in wet areas. Use cementitious glass mesh mortar units on walls designated to have ceramic tile applied. Use Type X gypsum board on partitions requiring fire rating. Gypsum finish levels: Level 2 @ panels that are substrate for tile, Level 4 where exposed to view.

09 30 13 CERAMIC AND PORCELAIN TILE

Prep and prepare areas for ceramic tile and porcelain tile floors as shown on elevations/finish schedule. Utilize epoxy-grout for tiled floors. Tile and grout color(s) to be selected by Architect.

09 51 13 ACOUSTICAL PANEL CEILINGS

Provide acoustical insulation above grid as noted on RCP in front-of-house areas.

09 65 00 RESILIENT FLOORING

Provide resilient flooring as shown on plans. Prepare concrete substrates in accordance w/ASTM F710 and manufacturer directions. Perform alkalinity and adhesion testing recommended by manufacturer. Perform moisture tests ASTM F 1869 and humidity test ASTM F 2170. Proceed only after substrates pass all testing as noted by manufacturer standards. Only utilize adhesives approved by manufacturer.

09 65 13 RESILIENT BASE

Provide resilient base as indicated on plans. Install w/manufacturer-approved adhesive in substrate conditions indicated.

09 77 00 SPECIAL WALL SURFACING

Furnish and wall protection and FRP as indicated on plans/elevations. Typ. Adhered w/fast-grab FRP adhesive. FRP shall be pebbled Class C finished w/matching moldings, dividing bars, and angles. Adhered to GWB W/FRP adhesive, under prep. conditions per manufacturer. recommendations.

09 91 00 PAINTING

Paint sheens, and colors per schedule. Meet state volatile organic compound requirements. One coat primer, two-finish coats. Color(s) selected by Architect.

DIVISION 10: SPECIALTIES**10 14 00 SIGNAGE**

Signs for exam and common rooms as required shall include raised tactile ADA etched or routed infographics complying with ADA regulations. Surface mounted on ADA-heights/adjac. Finishes selected by Architect. Framed occupancy certificate and evacuation plan (supplied by Architect). Vinyl wall/window graphics and exterior building signs to be provided by contractor, in coordinate w/client and Architect. Contractor to supply supplemental permits from Town.

10 26 00 WALL PROTECTION

Furnish and install chair rail (WP-1 & WP-2) and corner guards (CG-1) as annotated on floorplans.

10 28 13 TOILET ACCESSORIES

Accessories including soap dispensers, towel dispensers, waste receptacles, toilet paper holders, grab bars, and framed glass mirrors per accessories schedule.

10 44 00 FIRE PROTECTION SPECIALS

Manual extinguishing equipment per accessories sheet in accordance with NFPA 1 and 101.

11 77 00 RADIOLOGY EQUIPMENT

X-Ray installed w/shielding per manufacturer and remote activation.

11 94 00 DENTAL EQUIPMENT

Dental equipment installed per manufacturer. Rough in plumbing provided by contractor, coordinated with vendor.

DIVISION 12: FURNISHINGS**12 36 00 COUNTERTOPS**

Provided solid surfacing in sizes, profiles, and configurations noted on drawings. Color(s) will be standard color(s) selected by Architect. Thickness indicated on drawings.

12 50 00 FURNITURE

Furnishings provided per schedule

GENERAL NOTES**1. DO NOT SCALE DRAWINGS - WORK FROM DIMENSIONS ONLY.**

2. THIS PROJECT INVOLVES AN EXISTING STRUCTURE. DIMENSIONS SHOWN ON THE DRAWING ARE BELIEVED TO BE ACCURATE, BUT CANNOT BE GUARANTEED. THE GENERAL CONTRACTOR SHALL MEASURE AND VERIFY ALL DIMENSIONS IN FIELD PRIOR TO FABRICATION AND CONSTRUCTION.

3. DIMENSIONS ARE TO FACE OF FRAMING, FOUNDATION UNLESS NOTED OTHERWISE. IN ADA-COMPATIBLE BATHROOMS DIMENSIONS ARE FROM FACE OF GWB.**4. ALL WORK SHALL COMPLY WITH APPLICABLE NATIONAL, STATE, & LOCAL CODES.****5. GENERAL CONTRACTOR IS RESPONSIBLE FOR OBTAINING REQUIRED PERMITS.****6. CONTRACTOR SHALL PROPERLY DISPOSE OF ALL CONSTRUCTION DEBRIS OFF-SITE.****7. SEE STRUCTURAL NOTES FOR FRAMING, CONCRETE, SPECIES, AND OTHER STRUCTURAL RELATED NOTES.****8. GENERAL CONTRACTOR TO USE LICENSED & INSURED SUB-CONTRACTORS.****9. GENERAL CONTRACTOR SHALL COORDINATE ALL UTILITIES.****10. CONTRACTOR SHALL SCHEDULE SITE VISIT WITH ARCHITECT AND ENGINEER AFTER DEMOLITION HAS BEEN CONDUCTED TO EXPOSE UNKNOWN PORTIONS OF EXISTING STRUCTURES TO CONFIRM ASSUMPTIONS USED IN ENGINEERING CALCULATIONS AND VERIFY QUALITY OF STRUCTURAL MEMBERS AND EXISTING STRUCTURAL CONNECTIONS.****11. CONTRACTOR TO BRING TO THE ATTENTION OF THE ARCHITECT ANY CONDITION DIFFERENT FROM THOSE SHOWN ON THE DRAWINGS, AND SHALL BRING TO THE ATTENTION OF THE ARCHITECT ANY CONDITION THAT PREVENTS CONTRACTOR'S COMPLETION OF THE WORK AS SHOWN ON THE DRAWINGS.****12. CONTRACTOR SHALL COORDINATE BUILDING INSPECTIONS AND OBTAIN CERTIFICATE OF OCCUPANCY AT COMPLETION OF PROJECT.****13. CONTRACTOR SHALL PROVIDE OWNER WITH COPIES OF ANY MANUALS/OPERATIONAL GUIDES, WARRANTY OR REBATE DOCUMENTATION, ETC. TO OWNER AT COMPLETION OF PROJECT.****14. CONTRACTOR SHALL PROVIDE OWNER WITH POST-OCCUPANCY FOLLOW-UP TRAINING ON MECHANICAL AND ELECTRICAL SYSTEMS TO ORIENT THEM TO VARIOUS CONTROLS AND ENSURE UNDERSTANDING OF RECOMMENDED MAINTENANCE SCHEDULES, ETC.****GENERAL CARPENTRY NOTES**

1. ALL WORK IN CONTACT WITH CONCRETE OR STONE TO BE PRESERVATIVE TREATED BY PRESSURE PROCESS. SEAL CUTS IN "PT" WOOD WITH FIELD APPLIED PRESERVATIVE. USE STAINLESS STEEL FASTENERS.

2. PROVIDE PAPERLESS, MOISTURE RESISTANT GWB IN BATHROOMS, TYP.**3. TAPE ALL GYPSUM SEAMS AND PAINT PER FINISH SCHEDULE. WALL FINISH 4 TYPICAL U.N.O.****INSULATION, FLASHING, WATERPROOFING****1. PROVIDE PRE-MOLDED ISOLATION STRIP BETWEEN ALL FOUNDATION WALLS AND CONCRETE SLAB.****2. INSTALL WINDOWS & FLASHING FOLLOWING MANUFACTURERS INSTRUCTIONS. USE FASTFLASH LIQUID-APPLIED FLASHING TO PROVIDE WATERPROOF SEAL. USE HOSERSHOE SHIMS @ BOTTOM OF WINDOWS TO HOLD PLANGE OFF SHEATHING, ALLOWING WATER TO DRAIN IF WINDOW FAILS.****3. PROVIDE A CONTINUOUS BEAD OF SEALANT IN ALL JOINTS IN BUILDING, INCLUDING: ENVELOPE, PERIMETER, ISOLATION JOINTS, COLUMN PIPE, ALL PENETRATIONS AND CONDITIONS, SO THAT NO MOISTURE, VAPOR, OR GAS MAY PASS THROUGH STRUCTURE.****4. BOTTOM EDGE OF ROOFING & VALLEYS EXTENDING 3'-0" SHALL HAVE A WATERPROOF MEMBRANE LIKE ICE & WATER SHIELD."****5. WOOD BLOCKING IN CONTACT WITH CONCRETE OR STONE TO BE PRESERVATIVE TREATED BY PRESSURE PROCESS. SEAL CUTS IN "PT" WOOD WITH FIELD APPLIED PRESERVATIVE. USE STAINLESS STEEL FASTENERS.****6. USE SPRAY FOAM INSULATION TO SEAL AIR GAPS IN HARD-TO-REACH AREAS UNLIKELY TO BE FILLED DURING APPLICATION OF INSULATION.****7. PROVIDE METAL Drip EDGES ON ALL ROOF EAVES, TYP. AND METAL FLASHING W/Drip EDGE ON WINDOW HEADS, TYP.**



DESCRIPTION
TENANT FITOUT OF AN EXISTING DENTAL CLINIC TO ADD 4 OPERATORIES FOR A TOTAL OF 10 OPERATORIES. ALL PATIENTS WILL BE ABLE TO SELF-RESOLVE. CONSTRUCTION TO OCCUR IN 2-PHASES. ACCESSIBLE ENTRY MAINTAINED THROUGHOUT PROJECT. ADDITION TO INCLUDE 300 SF NEW ADA ENTRY & ENLARGED UPPER FLOOR FOR 4,543 SF TOTAL CLINIC.

RADIATION
THE CLINIC WILL INCLUDE A DENTAL X-RAY UNIT. A RADIATION REPORT WILL BE MAINTAINED ON SITE. NOTE ACTIVATION SWITCH TO BE LOCATED OUTSIDE ROOM.

GENERAL
-ADDRESS: 53 PLEASANT
-PARCEL: 10.29 ACRES
-LOT AREA: 0.29 ACRES
-BUILDING AREA: 4,543 SF
-USE: DENTAL CLINIC (BUSINESS)
-BUILT: 1990 (PER ASSESSOR)

APPLICABLE BUILDING CODES

-IBC 2015
-IEBC 2015
-IFCC 2015
-UPC 2018
-ADA 2010
-2009 ANSI A117.1
-NFPA 101-2010
-LOCAL ZONING ORDINANCES

ZONING
ZONE GR8
PREV USE: 3420 (MEDICAL OFFICE - NO CHANGE)
MIN LOT SIZE: 7,000 SF
FRONT SETBACK: 15'-0"
REAR SETBACK: 15'-0"
SIDE SETBACK: 15'-0"
MAX BLDG HEIGHT: ALL NC IS @ EXISTING IMPERV.
BUILDING HEIGHT: 35'-0"
EAVE: 3'-0" INTO SETBACK
ACCESS RAMP: PERMITTED W/IN SETBACK
FENCE: ANYWHERE IN SETBACK - IN FRONT MUST NOT EXCEED 4'-0"
PARKING REQ: 1 SF SPACE PER 200 SF (MEDICAL), 1 PER 400 SF OFFICE = 23 SPACES REQ.

IFCC 2015
SCOPE: LEVEL 3 ALTERATION
ENCL: LEVEL 3 ALTERATION PERMITTED W/OUT REQ. ENTIRE BUILDING OR STRUCTURE TO COMPLY W/IFCC. ALTERATIONS SHALL COMPLY WHERE THEY RELATE TO NEW CONSTRUCTION ONLY (908.1)

IBC 2018
CONSTRUCTION TYPE: 5B
OCCUPANCY: BUSINESS (ALL PATIENTS ABLE TO SELF RESCUE)
SPRINKLER: NONE
HEIGHT: 2-STORY
FIRE ALARM: NO REQ FOR BUSINESS. W/UNDER 500 PERSONS OR 100 ABOVE LEVEL OF EXIT DISCHARGE. NOTE CLINIC IS NOT A BUSINESS. CARE FACILITY PER DEFINITION IN IBC 1007.2.2
OCCUPANT LOAD: 49 PERSONS (FIRST FLOOR) & 43 PERSONS (SECOND FLOOR), NO SIMULTANEOUS LOADING
EGRESS: 34" 18" DOOR = 170 ccc. PER DOOR LEAF (34" / 0.2" = 170) (1005.3)
OBJECTS BTW 27"-80" AFF SHALL NOT PROTRUDE MORE THAN 4" (1003.3)
OCCE: 100 SF (100 SF / 100 GROSS)
BUSINESS (100 GROSS PER PERSON)
-TABLE/CHAIRS (15 NET)
ACCES: 1 ACCESSIBLE (300 GROSS)
DOORS SHALL NOT REDUCE THE REQUIRED EGRESS WIDTH BY MORE THAN 7" WHEN FULLY OPEN. DOORS IN ANY POSITION SHALL NOT REDUCE THE REQUIRED DISTANCE BY MORE THAN 1/2 (1005.7.1)
ONE EXIT: ALLOWED FOR SECOND STORY UNDER 49 PERSONS. MAX COMMON PATH OF TRAVEL 75'-0" (1006.3.2(2))
MIN 1-SITE ARRIVAL POINT & TRAVEL PATHS: 30'-0" MAX TRAVEL PATHS & 10'-0" MAX DISTANCE WITHIN A SITE (1104.3)
COMMON PATHS: OCCUPANT PATHS W/IN EMPLOYEE WORK AREAS SHALL BE ACCESSIBLE (1104.3.1)
ACCESSIBLE PATH WITHIN AN EMPLOYEE WORK AREA UNDER 1,000 SF NO REQ. TO BE ACCESSIBLE (1104.3.1)
AT LEAST ONE ACCESSIBLE ENTRANCE PER TENANT IN A FACILITY (1105.1)
PARKING: 1 ACCESSIBLE SPACE FOR 1-2 SPACES REQ. (1106.1)
WHERE DOORS SWING INTO TOILET ROOMS A 30"-48" CLEAR AREA SHALL BE PROVIDED BEYOND THE DOOR SWING (1109.2.1)
WHERE BUILT-IN WORK COUNTERS ARE PROVIDED AT LEAST (1) BUT NO LESS THAN 5% SHALL BE ACCESSIBLE (1109.11)
WHERE POINT OF SALE OR SERVICE (I.E. RECEPTION COUNTERS) ARE PROVIDED NO LESS THAN 1 SHALL BE ACCESSIBLE (1109.12.3)
CONTROLS, OPERATING MECHANISMS & HARDWARE SHALL BE ACCESSIBLE (1109.13)

NFPA 101 2018 (CHAPTER 3B)
-OCCUPANCY CLASSIFICATION: BUSINESS (A.3.3.16c)
-BUSINESS: OCCUPANCY 3 STORIES W/TEVER 30 OR FEWER PERSONS PERMITTED SINGLE EXIT W/EXIT DISCHARGE OUTSIDE. TRAVE DISTANCE TO OUTSIDE BUILDING UNDER 100'-0": EXIT STAIR NOT SERVING OTHER STORIES (3B.2.4)
-MEDICAL GAS, STORAGE AND OPERATION MANAGEMENT IN CONCORDANCE W/NFPA 99 (3B.2.4)
-EMERGENCY LIGHTING REQUIRED FOR OCCUPANT LOAD OVER 50 PERSONS ABOVE OR BELOWS LEVEL OF EXIT DISCHARGE (3B.2.9.1)
-FIRE ALARM: ONLY REQ. WHEN BUILDING IS 3 OR MORE STORIES OR MORE THAN 50 ABOVE LEVEL OF EXIT DISCHARGE (3B.3.4.1)
-CEILING/WALL FINISH CLASS A OR B (3B.3.3.2)
-CARPET/FLOORING COMPLY WITH ASTM D2859 (10.2.7.1)
-LOADING: BUSINESS 150 SFPP, COLLABORATION ROOMS 450 = 30 SFPP (7.3.1.2)

ADA
-5% OF WORK STATIONS, AT LEAST (1) TO BE ACCESSIBLE (226.1)
-CHECK ACCESSIBLE SURFACE AREAS TO HAVE AT LEAST (1) ACCESSIBLE AREA FOR BUSINESS WITH 1-4 OF EACH FUNCTION (227.3)
-THREE HOLD MAX. OF 1/4" OR 1/2" IF BEVELED IF SLOPE IS NOT STEEPER THAN 1:2 (303.2)
TOE CLEARANCE:
-SHALL BE 30" WIDE MIN (306.2.5)
-SHALL EXTEND 17" UNDER ELEMENTS (306.2.3)
-MIN 30" WIDE FOR 6" BEYOND AVAILABLE CLEARANCE (306.2.4)
KNEE CLEARANCE (306.3)
-MIN. OF 30" WIDE
-MIN. OF 27" HIGH
-BTW 9'-27" AFF. THE CLEARANCE CAN BE REDUCED 1" IN DEPTH PER 6"
-NO OBSTRUCTED OBJECTS GREATER THAN 4" BTW 27"-80" (307.2)
-UNOBSTRUCTED FORWARD REACH MAX: 15'-48" AFF (308.2.1)
-OBSTRUCTED REACH @ 24" COUNTER 44" MAX (308.2.2)
-UNOBSTRUCTED SIDE REACH 15'-48" AFF (308.3)
-OBSTRUCTED SIDE REACH 15'-48" AFF (308.3)
-OPERABLE PARTS SHALL REQ. NO PINCHING, TIGHT GRASPING OR TWISTING OF THE WRIST. MAX. FORCE TO ACTIVATE OPERABLE PARTS LESS THAN 50 MAX (22.2 NEWTONS) (309.4)
-DOOR OPENING CLR WIDTH OF 32" (404.2.3)
-SIGNS: SHALL INCLUDE BRAILLE (703.2) RAISED MIN. 1/32" CHARACTERS SAN SERIF & MTG. OTHER SPEC. OF ADA 703.
-SIGNS MUST BE PLACED W/IN 18" OF DOOR

ANSI A117.1
-VERTICAL GRAB BAR: 18" MIN. VERT. GRAB BAR MOUNTED 39-41" AFF FROM FLOOR AND REAR WALL ON SIDEWALK OF TOILET (A604.5.1)

UPC 2021 (TABLE 422.1)
TOTAL BUILDING OCCUPANCY: 49 (FIRST) + 30 (SECOND) = 79 PERSONS / 2 = 40 MEN + 40 WOMEN*
TOILET: 1:1.50 MIN. 3:31-50 WOMEN
SINKS: 1:1-100 MEN: 1:1-50 WOMEN
*PER CORRESPONDING W/CODE ENFORCEMENT OFFICIAL MIKE PENDELL 08/07/24 FIXTURE REDUCTION DUE TO NO SIMULTANEOUS LOADING OF SPACES ACCEPTED. ALLOW SHARED FACILITIES PER UPC 422.2.(3)

IECC 2015 (ZONE 6)
ENVELOPE REQUIREMENTS (C402.1.3)
-WALLS: R-13 + R-7.5ci OR R-20 + R-3.8ci
-ROOF: R-49
-UNHEATED SLAB: R-10 TO 24" BELOW GRADE
-HEATED SLAB: R-15 TO 36" BELOW GRADE
-WALLS BELOW GRADE: R-7.5 ci
SRI OF ROOFING: THREE YEAR SRI OF 64 (C402.3)
WINDOWS (C402.4)
-OPERABLE WINDOWS: 0.43 U-FACTOR
-FIXED WINDOWS: 0.36 U-FACTOR
-SHGC: 0.40 SEVR & 0.53 N ORIENTATION
-ENCL. LEAF DOORS: 0.77 U-FACTOR
-AIR LEAKAGE TESTED IN ACCORDANCE W/ASTM E779 @ 75 Pa W/LEAKAGE RATE OF 0.40 CFM/FT² (C402.5)
-ACCEPTABLE AIR BARRIER MATERIALS: 5/8" GWB (C402.5.1.2.1)

LIFE SAFETY LEGEND

	EXIT SIGN - WALL MOUNTED		EXIT SIGN - CEILING MOUNTED
	1-HR RATED PARTITION		SEMI-RECESS FIRE EXTINGUISHER CABINET

Pleasant Street Dental Associates

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORTLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
tracie.reed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PERSON
HENRY SCHEIN
603-320-6333

No.	Description	Date

LIFE SAFETY PLANS

Project number 22-30_PLEASANT ST DENTAL

Date 12.16.24

Drawn by TR

Project Status DD

LS-1.1

Scale As indicated

J

MAINE CENTRAL RAILROAD

Pleasant Street Dental Associates

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT

Dr. James Moshier
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



DEXTROUS CREATIVE

PORLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

PROJECT 1

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333

No.	Description	Date


EXISTING SITE PLAN

Project number	22-30_PLEASANT ST DENTAL
Date	12.16.24
Drawn by	Author
Project Status	PR

C-10

This detailed site plan illustrates the layout of a building complex adjacent to the Maine Central Railroad. The plan includes the following key features and dimensions:

- Building Footprints:** The building footprint is 2,681 S.F. with a footprint of 13' x 142' S.F. and a height of 16.4'. The building is labeled with HVAC units and a 0.6' FREE THRESHOLD.
- Setbacks:** The building has 15' SETBACK on the left and 15' SETBACK on the right. The building footprint is 15' SETBACK from the property line.
- Lot Area:** The lot area is 0.29 ACRES.
- Address:** The address is N23°32'55"W 82.66'.
- Orientation:** The building is oriented N82°40'05"E.
- Surrounding Features:** The site is bounded by a WOOD FENCE, a BRICK SIDEWALK, and a GRASS area. A CEMETERY is located to the east. A CEMETERY is located to the east.
- Access:** The site is accessible via a GATE at S67°33'25"W and a CEMETERY.
- Other Labels:** Labels include CONC., RIPRAP, HVAC, NO PARKING, and various dimensions such as 16.5', 20', 149.92', and 16'.
- Coordinates:** Coordinates for the site are N23°32'55"W 82.66' and S20°11'55"E.
- Building Identification:** The building is identified as #15.
- Other Features:** The plan shows a CEMETERY, a CEMETERY, and a CEMETERY.



Pleasant Street Dental Associates

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORTLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105


STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333

SF & PARKING
4,543 SF / 200 = 23 PARKING SPACES
3 BIKE SPACES

LOCUS MAPS (BELOW)
-FAR LEFT: LOCUS MAP ILLUSTRATING PROXIMITY TO CEDAR STREET BUS STOP & PARK & RIDE
-CENTER: BRUNSWICK LINK TRANSIT MAP ILLUSTRATING AREA BUS STOPS
-RIGHT: STREET VIEW OF BUILDING & SITE



SITE PLAN

Project number 22-30_PLEASANT ST DENTAL
Date 12.16.24
Drawn by TR
Project Status DD

C-20

Scale 1/8" = 1'-0"



A



C



A

Pleasant Street Dental Associates

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Moshier
53 Pleasant Street
Brunswick, ME 04011
207-725-2062




**DEXTROUS
CREATIVE**

PORTLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

B



D



F



B



E



G

PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04010

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PERSONER
HENRY SCHEIN
603-320-6333

F

G

H

I

J

No.	Description	Date

CONTEXT

Project number 22-30_PLEASANT ST DENTAL

Date 12.16.24


Drawn by Author

Project Status DD


C-30

Scale

1 2 3 4 5 6 7 8 9 10 11 12 13 14



E1 First Floor Existing/Demo
A-1.1 1/4" = 1'-0"



J1 First Floor
A-1.1 1/4" = 1'-0"

**Pleasant Street Dental
Associates**

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333

No.	Description	Date


**FIRST
FLOOR &
DEMO PLAN**

Project number 22-30_PLEASANT ST DENTAL


Date 12.16.24
Drawn by TR
Project Status DD

A-1.1

Scale 1/4" = 1'-0"



E1 SECOND FLOOR EXISTING/DEM
A-1.2 1/4" = 1'-0"



J1 Second Floor
A-1.2 1/4" = 1'-0"

**Pleasant Street Dental
Associates**

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORTLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333

No.	Description	Date

**SECOND
FLOOR &
DEMO PLAN**

Project number 22-30_PLEASANT ST DENTAL


Date 12.16.24

Drawn by Author

Project Status DD

A-1.2

Scale 1/4" = 1'-0"



**Pleasant Street Dental
Associates**

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
tracie.reed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333

F

G

H

I

J

**CRAWL
SPACE +
ROOF**

Project number 22-30_PLEASANT ST
DENTAL


Date 12.16.24


Drawn by Author

Project Status DD


A-1.3

Scale 1/4" = 1'-0"





E1 FIRST FLOOR FLOORING PLAN
A-1.5 1/4" = 1'-0"



J1 SECOND FLOOR FLOORING PLAN
A-1.5 1/4" = 1'-0"

FLOORING NOTES:
1. ALL FLOORING SHALL EXTEND BEHIND CASEWORK, MILLWORK, AND PLUMBING FIXTURES U.N.O.
2. FLOORING TYPES ARE OWNED BY HATCH PATTERNS ON ID PLANS.
3. HATCH PATTERNS FOR LVT-1 & TP-1 DENOTE DIRECTION OF FLOORING
4. SEE FLOORING TRANSITIONS & TILE ACCESSORIES AS NEEDED.

FLOORING LEGEND

	LVT SHAW CONTRACT STYLE: SOLITUDE(0648V) COLOR: COCOA (48103) INSTALL: BRICK THICKNESS: 5MM
	CPT-1 INTERFACE ZEN STITCH COLOR: ASH INSTALL: HERRINGBONE
	WOM INTERFACE STEP REPEAT COLOR: TBD INSTALL: QUARTER TURN
	TP-1 ITEM: TILE PORCELAIN MANUF: CROSSVILLE PRODUCT: MOONSTRUCK SIZE: 12" x 24" COLOR: TBD, UNP INSTALL: BRICK GROUT: MAPEI TBD ACCESSORIES: COVE BASE


STAIR
ITEM: STAIR TREAD/RISERS
MANUF: JOHNSONITE
PRODUCT: VINYL TREADS & RISER
COLOR: TBD
PROFILE: FASTLANE

ENTRY STAIR ONLY
ITEM: JOHNSONITE STAIR NOSING
PROFILE: TO ACCOMODATE WOM
COLOR: TBD

FLOORING ACCESSORIES
-NO FLOORING TRANSITIONS BTW LVT & CPT
-PROVIDE SCHLUTER SATIN ANODIZED
-MANUFACT: TARKETT
-PRODUCT: 4" TRADITIONAL WALL BASE
W/TOE
-COLOR: TBD

WALL BASE - WB
-EXTENT: ALL ROOMS W/LVT OR CPT
-MANUFACT: TARKETT
-PRODUCT: 4" TRADITIONAL WALL BASE
W/TOE
-COLOR: TBD

TILE BASE: WB-2
-EXTENT: ALL WALLS IN LOCATIONS W/TILE
FLOORING (WC, ETC)
-ITEM: TILE: PORCELAIN
-MANUFACTURER: CROSSVILLE
-PRODUCT: MOONSTRUCK
-SIZE: 4"
-GROUT: TO MATCH FLOOR TILE
-TILE COLOR: TO MATCH FLOOR TILE



STEP REPEAT - GRANITE - QUARTER TURN

**Pleasant Street Dental
Associates**

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333

No.	Description	Date

**FLOOR
PATTERN &
LEGEND**

Project number 22-30_PLEASANT ST DENTAL


Date 12.16.24

Drawn by Author


Project Status DD

Scale 1/4" = 1'-0"

A-1.5



E1 First Floor Equipment & Furnishings Plan
A-1.6



J1 Second Floor FFE
A-1.6

FURNITURE & ACCESSORIES (NIC)	
#	Description
3	'Prize' machine - no elec req.
4	Lead Apron Wall Rack
F1	Side Chair
F2	Side Table
F3	Task Chair
F4	Task Chair - Resin
F5	Double-Tier Locker
F6	Table
F7	Shoe Bench
F8	Seven Desk - Rectangular

EQUIPMENT SCHEDULE			
#	Description	Comments	CFCI / OFCI / OFOI
2	Grab Bars		CFCI
3	Mirror	Bobrick Mirror - B-290 Series	OFICI
4	Counter-Depth Refrigerator (32" wide)	No water line	OFOI
5	Electric Washer/Dryer Vented	Vented to Exterior	OFOI
6	Bobrick B-6997 Recessed Dual Roll TP Dispenser		OFCI
7	Mirror w/Frame	Bobrick Mirror - B-290 Series	CFCI
8	Electric LULA MRL - Limited Use / Limited Application Elevator	Hydraulic LULA	CFCI
9	Downtown Rack		CFCI
10	Bollard / Oval (OVB), 6 Watts		CFCI
12	Robe Hook		NIC
39	Recessed Paper Towel Holder (Bobrick B-35903)		CFCI
40	Hook Strip		NIC
41	Soap Dispenser - GP Pro enMotion Gen2		CFCI
47	Semi-Recessed Fire Extinguisher Cabinet		CFCI
DE1	A-dec 550 Dental Chair	See Dental Equip DWGs - Install by DE provider	NIC
DE2	X-Ray Unit	See Dental Equip DWGs - Install by DE provider	NIC
DE3	Dental Side Cabinet w/Sink	See Dental Equip DWGs - Install by DE provider	NIC
DE5	Cone beam	Existing to remain	NIC
DE6	Dental Vac	See Dental Equip DWGs - Install by DE provider	NIC
T2	Wall-Mounted TV 50"	Contractor to install owner-purchased wall-mount	OFICI
T3	POS		NIC
T4	Wall-Mounted TV - 60"	Contractor to install owner-purchased wall-mount	OFICI
T5	Printer		NIC
T6	Wall-Mounted TV - 55"	Contractor to install owner-purchased wall-mount	OFICI
T7	Computer		NIC

FURNITURE & EQUIPMENT PLAN

Project number 22-30_PLEASANT ST DENTAL
Date 12.16.24
Drawn by TR
Project Status DD

A-1.6

Scale 1/4" = 1'-0"

Pleasant Street Dental Associates

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



DEXTROUS CREATIVE

PORTLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333

F

G

H

J

1 2 3 4 5 6 7 8 9 10 11 12 13 14



**Pleasant Street Dental
Associates**

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)




PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105


STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PERSON
HENRY SCHEIN
603-320-6333



No.	Description	Date






**ELEVATIONS
&
PERSPECTIVES**

Project number 22-30_PLEASANT ST DENTAL
Date 12.16.24
Drawn by TR
Project Status DD

A-2.1

Scale 3'16" = 1'-0"



Pleasant Street Dental Associates

SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORTLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)

PROJECT TEAM



SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105

STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333

F



G



No.	Description	Date


H

SECTION

Project number	22-30_PLEASANT ST DENTAL
Date	12.16.24
Drawn by	Author
Project Status	DD
Scale	As indicated

A-3.1






SITE
53 Pleasant Street
Brunswick, ME 04011

CLIENT
Dr. James Mosher
53 Pleasant Street
Brunswick, ME 04011
207-725-2062



**DEXTROUS
CREATIVE**

PORLAND, ME 04101
TRACIE REED, ARCHITECT
NCARB, AIA, LEED AP BD+C
traciereed@dextrouscreative.com
207.409.0459 (cell)




PROJECT TEAM

SURVEYOR
OWEN & HASKELL
390 US-1 UNIT 10
FALMOUTH, ME 04105


STRUCTURAL ENGINEER
AARON JONES
STRUCTURAL INTEGRITY
46 FOREST AVENUE
PORTLAND, ME 04101

MEP ENGINEER
CSI ENGINEERING
125 AVIATION AVE. #204
PORTSMOUTH, ME 03801

DENTAL EQUIPMENT
TAYLOR PETERSON
HENRY SCHEIN
603-320-6333



F




INTERIOR ELEVATIONS


Project number 22-30_PLEASANT ST DENTAL
Date 12.16.24
Drawn by
Project Status DD


A-4.1

Scale 3/8" = 1'0"




1 2 3 4 5 6 7 8 9 10 11 12 13 14







DOOR SCHEDULE						
#	Type	Width	Height	Hardware	Fire Rating	Comments
101	C	3' - 0"	6' - 8"	TYPE 5		
101B	A	3' - 0"	6' - 8"	TYPE 1		
102	D	3' - 0"	6' - 8"	TYPE 1		
102B	A	3' - 0"	6' - 8"	TYPE 1		
103	B	3' - 0"	6' - 8"	TYPE 3		
111	A	3' - 0"	6' - 8"	TYPE 2		
118	A	3' - 0"	6' - 8"	TYPE 1		
119	B	3' - 0"	6' - 8"	TYPE 2		
120	C	3' - 0"	6' - 8"	TYPE 5		
120B	B	3' - 0"	6' - 8"	TYPE 4	60 MIN	
121	B	3' - 0"	6' - 8"	TYPE 3		
201	A	3' - 0"	6' - 8"	TYPE 2		
202	B	3' - 0"	6' - 8"	TYPE 3		
203	A	3' - 0"	6' - 8"	TYPE 1		
203A	B	3' - 0"	6' - 8"	TYPE 2		
204	A	3' - 0"	6' - 8"	TYPE 1		
205	B	3' - 0"	6' - 8"	TYPE 1		
M107	B	3' - 0"	6' - 8"	TYPE 2	60 MIN	
S201	B	3' - 0"	6' - 8"	TYPE 4	60 MIN	



DOOR HARDWARE TYPE KEY
 -GENERAL NOTE - PROVIDE SILENCERS ON ALL HEAVY METAL FRAMES, TYP.
 -LEVERS MOUNTED AT 35° AFF MEASURED TO CENTER OF LEVER BORE HOLE
 TYPE 1: SCHLAGE PASSAGE LEVER JUP 626, WALL-MOUNTED DOOR STOP 409.32D
 TYPE 2: SCHLAGE PRIVACY LEVER JUP 626, WALL-MOUNTED DOOR STOP 409.32D
 TYPE 3: SCHLAGE PRIVACY LEVER JUP 626 W/OCCUPANCY INDICATOR DEADBOLT B571626 626, WALL-MOUNTED DOOR STOP 409.32D
 TYPE 4: SCHLAGE PASSAGE LEVER JUP 626, WALL-MOUNTED DOOR STOP 409.32D, CLOSER
 TYPE 5: SCHLAGE XE360 TM SERIES WIRELESS MORTISE LOCK, DOOR SWEEPDOOR SWEEP (3EGR6), (3EGR6), LCN 8310-818 AUTOMATIC DOOR OPENER (BOTH SIDES OF DOOR)

INTERIOR FINISH LEGEND									
WALL PROTECTION			PAINT						
WALL PROTECTION GENERAL NOTES:				PAINT GENERAL NOTES:					
1. SEE EQUIPMENT PLANS FOR WALL PROTECTION LOCATIONS. SEE ACCESSORIES LIST FOR WALL PROTECTION TYPES. INFORMATION BELOW IS FOR MATERIAL AND COLOR COORDINATION ONLY.				1. SEE FINISH SCHEDULE FOR ALL FIELD WALL PAINT. SEE ID DRAWINGS FOR ACCENT WALL LOCATIONS.					
2. CORNER GUARDS ADJACENT TO WALL PROTECTION SHALL END AT ADJACENT WALL PROTECTION HEIGHT.				2. DOOR & WINDOW FRAMES ARE TO BE PAINTED P-1, ANY TRANSITIONS SHALL OCCUR ON THE INSIDES OF THE DOOR STOP.					
3. ALL GWB CEILINGS SHALL BE PAINTED P-0 U.N.O. ON RCP. ALL GWB SOFFITS TO MATCH ADJACENT WALLS U.N.O. ON RCP.				3. ALL GWB CEILINGS SHALL BE PAINTED P-0 U.N.O. ON RCP. ALL GWB SOFFITS TO MATCH ADJACENT WALLS U.N.O. ON RCP.					
WP ITEM: WALL PROTECTION MANUF: WD FINISH: PRIME & PAINT COLOR: TBD SIZE: 1x8			P-0 ITEM: CEILING PAINT MANUF: SHERWIN WILLIAMS PRODUCT: EMERALD INTERIOR LATEX COLOR: SW 7007 CEILING BRIGHT WHITE FINISH: GWB-1: CEILING FLAT GWB-2: SEMI-GLOSS						
FRP ITEM: WALL PROTECTION (FRP) MANUF: PANOLAM PRODUCT: FIBERGLASS REINFORCED PLASTIC COLOR: TBD THICKNESS: SEE OUTLINE SPEC - SHEET T-1 SIZE: SEE ELEVATION A-4.1 (J1) NOTES: TO FINISHED FLOOR, NO WALL BASE			PT ITEM: PAINT MANUF: SHERWIN WILLIAMS PRODUCT: EMERALD INTERIOR LATEX COLOR: SW 7636 ORIGAMI WHITE FINISH: EGGSHELL FRAMES/WC/TRIM: SEMI GLOSS						
CG TYPE: CORNER GUARD FINISH: IMPRO SIZE: 2" HEIGHT: 4'-0" COLOR: TBD			PT-EXT ITEM: PAINT (EXTERIOR SIDING) MANUF: SHERWIN WILLIAMS						
PL-1 TYPE: PLASTIC LAMINATE MANUF: WILSONART PRODUCT: CASEWORK MANUF. DEPENDANT COLOR: TBD			PT-2 ITEM: PAINT (EXTERIOR DOORS) MANUF: SHERWIN WILLIAMS						
PL-2 TYPE: PLASTIC LAMINATE MANUF: WILSONART PRODUCT: WILSONART COLOR: TBD EDGE: TO MATCH			GENERAL NOTES						
SS-1 TYPE: SOLID SURFACE MANUF: WILSONART PRODUCT: MORNING ICE			1. SEE RCP FOR CEILING TYPES AND LOCATIONS. 2. ALL ID PLAN DIMENSIONS ARE TO FACE OF FINISH U.N.O.						
SS-2 TYPE: SOLID SURFACE MANUF: WILSONART PRODUCT: ASPEN QUARTZITE COLOR: MORNING ICE (RECEPTION DESK PATIENT CHECK-IN & CHECK OUT COUNTERS ONLY)			TBD TO BE DETERMINED PTM PATCH TO MATCH ETR EXISTING TO REMAIN						



SCHEDULES & FINISHES

Project number 22-30_PLEASANT ST DENTAL

Date 12.16.24

Drawn by

Project Status DD

A-6.1

Scale As indicated



Hardie® Plank

Find your style

Your home is a blank canvas. Experiment with a variety of Hardie® Plank siding styles, textures, and stunning colors featuring our ColorPlus® Technology finishes to create your masterpiece.

Select your texture



Select Cedarmill®



Smooth




Beaded Select
Cedarmill®



Beaded Smooth



Unavailable in your
area



Unavailable in your
area

Individual colors may vary depending on display settings. Samples only available in Select Cedarmill® texture. Please check with your contractor or local dealer for availability in your area.

Select your color collection



Faux Louver

Atlantic's Faux Louver shutters use a unique patented process that delivers a beautiful louvered appearance. These shutters add a classic, traditional look with rhythmic, clean lines. Enhancing a variety of home styles, Faux Louver shutters offer the popular option of an additional rail, accentuating both horizontal and vertical appeal. Rails also accommodate optional sliding-bolt hardware for a more handsome operable-shutter application. Arch and radius top shutters are also available to match this popular window design.



Standard

Additional Rail



Archtop